



ASBESTOS INSPECTION REPORT


Job Site:

**Mobile Homes
3774 South 27th Street
Milwaukee, Wisconsin**

For:

City of Milwaukee
Department of Neighborhood Services
Attn: Marge Piwaron
841 North Broadway 1st Floor
Milwaukee, Wisconsin 53202-3613

**HMG Report No.: 14-200-042.3774
Contract No.: 360-14-0745**



Dean Jacobsen
Asbestos Inspector No. AII – 14370

Prepared by:

HARENDA MANAGEMENT GROUP
1237 West Bruce Street
Milwaukee, Wisconsin 53204

August 2014

TABLE OF CONTENTS

I.	Introduction	2
II.	Building Survey	2
III.	The Laboratory	2
	A. Method of Analysis	
IV.	Findings and Observations	3
V.	Exclusions	12
VI.	Limitations	12
VII.	Pre-Demolition Environmental Checklist	13
VIII.	Laboratory Results	17
IX.	HMG Certifications	18

I. INTRODUCTION

Harenda Management Group (HMG) was retained by the City of Milwaukee Department of Neighborhood Services to conduct an inspection for possible asbestos containing materials in the mobile homes at 3774 South 27th Street, Milwaukee, Wisconsin.

The inspection included texture, fiberboard, linoleum, drywall/joint compound, ceiling tile, and ceramic tile to determine if asbestos containing materials were present within the space as required by *US EPA NESHAP regulation 40 CFR 61 Subpart M*.

II. BUILDING SURVEY

Marge Piwaron, of the City of Milwaukee Department of Neighborhood Services, authorized HMG to conduct a building survey and to analyze samples taken during the inspection.

On July 30 to August 4, 2014 HMG conducted an asbestos inspection of 35 mobile homes, scheduled for mechanical demolition, located at 3774 South 27th Street, Milwaukee, Wisconsin. The inspection was conducted by Eric Christon, Wisconsin License No. AII – 12823.

The inspection was comprised of three elements:

1. A visual determination as to the extent of suspect materials within the mobile homes.
2. Sampling and documentation of observable suspect materials. Category I non-friable materials were assumed to be asbestos containing and not sampled.
3. Quantification of observable positive materials existing within the spaces.

The results of the survey integrated with the Polarized Light Microscopy with Dispersion Staining (PLM/DS) analysis of bulk samples taken are outlined in this document. If you have any questions please contact HMG at (414) 383-4800.

III. THE LABORATORY

A. METHOD OF ANALYSIS

Analysis is performed by using the bulk samples for visual observation and slide preparation(s) for microscopical examination and identification. The slides are analyzed for asbestos (chrysotile, amosite, crocidolite, anthophyllite, and actinolite/ tremolite), fibrous non asbestos constituents (mineral wool, paper, etc.), and nonfibrous constituents. Asbestos is identified by refractive indices (obtained by using dispersion staining), morphology, color, pleochroism, birefringence, extinction characteristics, and signs of elongation. The same characteristics are used to identify the non asbestos constituents.

The microscopist visually estimates relative amounts of each constituent using a stereoscope if necessary. The test results are based on a visual determination of relative volume of the bulk sample components. The results are valid only for the item tested. Current US EPA NESHAP

regulations state asbestos materials means material containing more than 1% asbestos as determined using the method specified in Appendix E, Subpart E, 40 CFR Part 763 Section I, Polarized Light Microscopy. Refer to 29 CFR 1926.1101 (Construction) and 29 CFR 1910.1001 (General Industry) for specific OSHA requirements.

IV. FINDINGS AND OBSERVATIONS

The materials identified as suspect asbestos containing materials (ACM) include texture, fiberboard, linoleum, drywall/joint compound, ceiling tile, and ceramic tile. These materials were sampled and the following results were noted:

Trailer 1

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – living room – ceiling – joint compound	Negative	N/A	MDW
1b	1 st floor – living room – ceiling – drywall	Negative	N/A	MDW
2a	1 st floor – kitchen – ceiling – joint compound	Negative	N/A	MDW
2b	1 st floor – kitchen – ceiling – drywall	Negative	N/A	MDW
3a	1 st floor – bedroom – ceiling – joint compound	Negative	N/A	MDW
3b	1 st floor – bedroom – ceiling – drywall	Negative	N/A	MDW
4a	1 st floor – kitchen – on counter – white linoleum	Negative	N/A	MFLw
4b	1 st floor – kitchen – on counter – under linoleum – mastic	Negative	N/A	MFLw

Trailer 2

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – bathroom – on walls – gray ceramic tile	Negative	N/A	MCTMy
1b	1 st floor – bathroom – on walls – grout	Negative	N/A	MCTMy
2a	1 st floor – bathroom – on floor – gray ceramic tile	Negative	N/A	MCTMy
2b	1 st floor – bathroom – on floor – grout	Negative	N/A	MCTMy
3	1 st floor – bathroom – on counter – gray ceramic tile	Negative	N/A	MCTMy
4a	1 st floor – kitchen – ceiling – fiberboard	Negative	N/A	MFB
4b	1 st floor – kitchen – ceiling – fiberboard layer 2	Negative	N/A	MFB
5	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
6	1 st floor – hall – ceiling – fiberboard	Negative	N/A	MFB
7a	1 st floor – bathroom – north wall – joint compound	Negative	N/A	MDW
7b	1 st floor – bathroom – north wall – drywall	Negative	N/A	MDW
8	1 st floor – kitchen – under plywood – yellow linoleum	Negative	N/A	MFLI
9	1 st floor – living room – under plywood – yellow linoleum	Negative	N/A	MFLI
10	1 st floor – hall – under plywood – yellow linoleum	Negative	N/A	MFLI

Trailer 3

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
2	1 st floor – hall – ceiling – fiberboard	Negative	N/A	MFB
3	1 st floor – kitchen – ceiling – fiberboard	Negative	N/A	MFB
4	1 st floor – kitchen – under floor tile – green linoleum	Negative	N/A	MFLg

Trailer 4

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – bathroom – ceiling – joint compound	Negative	N/A	MDW
1b	1 st floor – bathroom – ceiling – drywall	Negative	N/A	MDW
2a	1 st floor – kitchen – east wall – joint compound	Negative	N/A	MDW
2b	1 st floor – kitchen – east wall – drywall	Negative	N/A	MDW
3a	1 st floor – living room – ceiling – joint compound	Negative	N/A	MDW
3b	1 st floor – living room – ceiling – drywall	Negative	N/A	MDW
4	1 st floor – living room north side – white linoleum	Negative	N/A	MFLw
5	1 st floor – living room center – white linoleum	Negative	N/A	MFLw
6	1 st floor – living room south side – white linoleum	Negative	N/A	MFLw
7	1 st floor – bathroom – under plywood – cream linoleum	Negative	N/A	MFLc

Trailer 5

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room north side– under floor tile and plywood – brown linoleum	Negative	N/A	MFLn
2	1 st floor – living room south side – under floor tile and plywood – brown linoleum	Negative	N/A	MFLn
3	1 st floor – bedroom – under floor tile and plywood – brown linoleum	Negative	N/A	MFLn
4	1 st floor – bedroom ceiling – fiberboard	Negative	N/A	MFB
5	1 st floor – living room ceiling – fiberboard	Negative	N/A	MFB
6	1 st floor – kitchen ceiling – fiberboard	Negative	N/A	MFB

Trailer 6

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – kitchen north side– under floor tile and plywood – yellow linoleum	Negative	N/A	MFLI
2	1 st floor – kitchen south side – under floor tile and plywood – yellow linoleum	Negative	N/A	MFLI
3	1 st floor – hall – under floor tile and plywood – yellow linoleum	Negative	N/A	MFLI
4	1 st floor – north bedroom ceiling – fiberboard	Negative	N/A	MFB
5	1 st floor – hall ceiling – fiberboard	Negative	N/A	MFB
6	1 st floor – south bedroom ceiling – fiberboard	Negative	N/A	MFB

Trailer 7

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – bedroom ceiling – fiberboard	Negative	N/A	MFB
2	1 st floor – hall ceiling – fiberboard	Negative	N/A	MFB
3	1 st floor – bathroom ceiling – fiberboard	Negative	N/A	MFB
4	1 st floor – hall – yellow linoleum	Negative	N/A	MFLI

Trailer 8

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room ceiling – fiberboard	Negative	N/A	MFB
2	1 st floor – bedroom ceiling – fiberboard	Negative	N/A	MFB
3	1 st floor – bathroom ceiling – fiberboard	Negative	N/A	MFB
4a	1 st floor – kitchen ceiling – joint compound	Negative	N/A	MDW
4b	1 st floor – kitchen ceiling – drywall	Negative	N/A	MDW
5	1 st floor – kitchen – green linoleum	Positive 25% Chrysotile	160 Sq. Ft.	MFLg
6	1 st floor – hall – green linoleum	Positive 25% Chrysotile	Reference Sample 5	MFLg
7a	1 st floor – bathroom – floor tile	Negative	N/A	MFLg
7b	1 st floor – bathroom – under floor tile – mastic	Negative	N/A	MFLg
7c	1 st floor – bathroom – under mastic – green linoleum	Positive 25% Chrysotile	Reference Sample 5	MFLg

Trailer 9

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – living room – ceiling – joint compound	Negative	N/A	MDW
1b	1 st floor – living room – ceiling – drywall	Negative	N/A	MDW
2a	1 st floor – bedroom – ceiling – joint compound	Negative	N/A	MDW
2b	1 st floor – bedroom – ceiling – drywall	Negative	N/A	MDW
3	1 st floor – hall – south wall – drywall	Negative	N/A	MDW
4	1 st floor – hall – north wall – fiberboard/texture	Negative	N/A	MFB
5	1 st floor – living room – south wall – fiberboard/texture	Negative	N/A	MFB
6	1 st floor – kitchen – north wall – fiberboard/texture	Negative	N/A	MFB
7	1 st floor – kitchen west side – cream linoleum	Negative	N/A	MFLc
8a	1 st floor – kitchen east side – cream linoleum	Negative	N/A	MFLc
8b	1 st floor – kitchen east side – under linoleum – mastic	Negative	N/A	MFLc
9	1 st floor – living room – under carpet – cream linoleum	Negative	N/A	MFLc
10a	1 st floor – hall – white linoleum	Negative	N/A	MFLw
10b	1 st floor – hall – under linoleum – mastic	Negative	N/A	MFLw

Trailer 10

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
2	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
3	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB

Trailer 14

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – living room east side – texture	Negative	N/A	STX
1b	1 st floor – living room east side – 1' x 1' ceiling tile	Negative	N/A	MSCT11
2a	1 st floor – living room west side – texture	Negative	N/A	STX
2b	1 st floor – living room west side – 1' x 1' ceiling tile	Negative	N/A	MSCT11
3a	1 st floor – kitchen – texture	Negative	N/A	STX
3b	1 st floor – kitchen – 1' x 1' ceiling tile	Negative	N/A	MSCT11
4	1 st floor – bathroom – cream linoleum	Negative	N/A	MFLc
4	1 st floor – bathroom – under linoleum – mastic	Negative	N/A	MFLc
5a	1 st floor – kitchen – on wall – silver coating	Negative	N/A	MCTMt
5b	1 st floor – kitchen – on wall – tan ceramic tile	Negative	N/A	MCTMt
5c	1 st floor – kitchen – on wall – under ceramic tile – mastic	Negative	N/A	MCTMt
5d	1 st floor – kitchen – on wall – grout	Negative	N/A	MCTMt

Trailer 17

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – hall – under carpet and floor tile – gray linoleum	Negative	N/A	MFLy
2	1 st floor – kitchen – under carpet and floor tile – gray linoleum	Negative	N/A	MFLy
3	1 st floor – living room – under carpet and floor tile – gray linoleum	Negative	N/A	MFLy
4	1 st floor – bathroom top layer – cream linoleum	Negative	N/A	MFLc
5a	1 st floor – hall – east wall – joint compound	Negative	N/A	MDW
5b	1 st floor – hall – east wall – drywall	Negative	N/A	MDW

Trailer 18

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – kitchen – west wall – joint compound	Negative	N/A	MDW
1b	1 st floor – kitchen – west wall – drywall	Negative	N/A	MDW
2a	1 st floor – living room – east wall – joint compound	Negative	N/A	MDW
2b	1 st floor – living room – east wall – drywall	Negative	N/A	MDW
3a	1 st floor – hall – west wall – joint compound	Negative	N/A	MDW
3b	1 st floor – hall – west wall – drywall	Negative	N/A	MDW
4	1 st floor – kitchen – ceiling – fiberboard	Negative	N/A	MFB
5	1 st floor – north bedroom – ceiling – fiberboard	Negative	N/A	MFB

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
6	1 st floor – south bedroom – ceiling – fiberboard	Negative	N/A	MFB
7	1 st floor – south bedroom – brown linoleum	Negative	N/A	MFLn
8	1 st floor – north bedroom – brown linoleum	Negative	N/A	MFLn
9	1 st floor – bathroom – under plywood – brown linoleum	Negative	N/A	MFLn

Trailer 19

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	Exterior – on porch – brown ceramic tile	Negative	N/A	MCTMn
1b	Exterior – on porch – grout	Negative	N/A	MCTMn
1c	Exterior – on porch – under ceramic tile – mastic	Negative	N/A	MCTMn
1d	Exterior – on porch – under ceramic tile – mortar	Negative	N/A	MCTMn
1e	Exterior – on porch – under mortar – mastic	Negative	N/A	MCTMn
2a	Exterior – on porch – ceramic tile	Negative	N/A	MCTMn
2b	Exterior – on porch – grout	Negative	N/A	MCTMn
2c	Exterior – on porch – under ceramic tile – mastic	Negative	N/A	MCTMn
3a	Exterior – kitchen – ceramic tile	Negative	N/A	MCTMn
3b	Exterior – kitchen – grout	Negative	N/A	MCTMn
3c	Exterior – kitchen – mortar	Negative	N/A	MCTMn
3d	Exterior – kitchen – under mortar – mastic	Negative	N/A	MCTMn

Trailer 21

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – kitchen – ceiling – joint compound	Negative	N/A	MDW
1b	1 st floor – kitchen – ceiling – drywall	Negative	N/A	MDW
2a	1 st floor – living room – ceiling – joint compound	Negative	N/A	MDW
2b	1 st floor – living room – ceiling – drywall	Negative	N/A	MDW
3a	1 st floor – bathroom – ceiling – joint compound	Negative	N/A	MDW
3b	1 st floor – bathroom – ceiling – drywall	Negative	N/A	MDW

Trailer 23

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – kitchen – on linoleum – mastic	Negative	N/A	MFLt
1b	1 st floor – kitchen – under floor tile – tan linoleum	Positive 25% Chrysotile	150 Sq. Ft.	MFLt
2	1 st floor – bathroom – top layer – black and white linoleum	Negative	N/A	MFLkw
3	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB

Trailer 24

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room – north side – 1' x 1' ceiling tile	Negative	N/A	MSCT11
2	1 st floor – living room – south side – 1' x 1' ceiling tile	Negative	N/A	MSCT11

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
3	1 st floor – kitchen – 1' x 1' ceiling tile	Negative	N/A	MSCT11
4	1 st floor – living room – west side – yellow linoleum	Negative	N/A	MFLI
5	1 st floor – living room – east side – yellow linoleum	Negative	N/A	MFLI
6	1 st floor – living room – center – yellow linoleum	Negative	N/A	MFLI

Trailer 25

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – hall – west wall – texture	Negative	N/A	STX
2	1 st floor – hall – east wall – texture	Negative	N/A	STX
3	1 st floor – bedroom – west wall – texture	Negative	N/A	STX
4a	1 st floor – kitchen – top layer – white linoleum	Negative	N/A	MFLw
4b	1 st floor – kitchen – top layer – under linoleum – mastic	Negative	N/A	MFLw
5a	1 st floor – living room – top layer – white linoleum	Negative	N/A	MFLw
5b	1 st floor – living room – top layer – under linoleum – mastic	Negative	N/A	MFLw
6a	1 st floor – bedroom – top layer – white linoleum	Negative	N/A	MFLw
6b	1 st floor – bedroom – top layer – under linoleum – mastic	Negative	N/A	MFLw
7	1 st floor – kitchen – under plywood – tan linoleum	Negative	N/A	MFLt
8a	1 st floor – living room – under plywood – tan linoleum	Negative	N/A	MFLt
8b	1 st floor – living room – under plywood – under linoleum – mastic	Negative	N/A	MFLt
9	1 st floor – bedroom – under plywood – tan linoleum	Negative	N/A	MFLt
10	1 st floor – kitchen – ceiling – fiberboard	Negative	N/A	MFB
11	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
12	1 st floor – bathroom – ceiling – fiberboard	Negative	N/A	MFB
13	1 st floor – hall – yellow linoleum	Negative	N/A	MFLI

Trailer 26

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – at entry – under floor tile – white linoleum	Negative	N/A	MFLw
1b	1 st floor – at entry – under linoleum – mastic	Negative	N/A	MFLw

Trailer 30

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – dining room – east wall – drywall	Negative	N/A	MDW
2a	1 st floor – kitchen – ceiling – joint compound	Negative	N/A	MDW
2b	1 st floor – kitchen – ceiling – drywall	Negative	N/A	MDW

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
3a	1 st floor – hall – ceiling – joint compound	Negative	N/A	MDW
3b	1 st floor – hall – ceiling – drywall	Negative	N/A	MDW
4a	1 st floor – dining room – under carpet and floor tile – cream linoleum	Negative	N/A	MFLc
4b	1 st floor – dining room – under linoleum – mastic	Negative	N/A	MFLc
5	1 st floor – kitchen – top layer – white linoleum	Negative	N/A	MFLw
6a	1 st floor – kitchen – under plywood – brown linoleum	Negative	N/A	MFLn
6b	1 st floor – kitchen – under linoleum – mastic	Negative	N/A	MFLn
7a	1 st floor – kitchen – bottom layer – tan linoleum	Negative	N/A	MFLt
7b	1 st floor – kitchen – under linoleum – mastic	Negative	N/A	MFLt

Trailer 33

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – living room – east wall – joint compound	Negative	N/A	MDW
1b	1 st floor – living room – east wall – drywall	Negative	N/A	MDW
2a	1 st floor – living room – east wall – joint compound	Negative	N/A	MDW
2b	1 st floor – living room – east wall – drywall	Negative	N/A	MDW
3a	1 st floor – living room – east wall – joint compound	Negative	N/A	MDW
3b	1 st floor – living room – east wall – drywall	Negative	N/A	MDW

Trailer 34

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
2	1 st floor – bathroom – ceiling – fiberboard	Negative	N/A	MFB
3	1 st floor – bedroom – ceiling – fiberboard	Negative	N/A	MFB
4a	1 st floor – south bedroom – ceiling – joint compound	Negative	N/A	MDW
4b	1 st floor – south bedroom – ceiling – drywall	Negative	N/A	MDW
5	1 st floor – living room – under carpet – white linoleum	Negative	N/A	MFLw

Trailer 36

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – kitchen – top layer – brown linoleum	Negative	N/A	MFLn
2	1 st floor – kitchen – 2 nd layer – tan linoleum	Negative	N/A	MFLt
3	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
4	1 st floor – kitchen – ceiling – fiberboard	Negative	N/A	MFB
5	1 st floor – hall – ceiling – fiberboard	Negative	N/A	MFB

Trailer 37

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – kitchen west side – ceiling – fiberboard	Negative	N/A	MFLn
2	1 st floor – kitchen east side – ceiling – fiberboard	Negative	N/A	MFLn
3	1 st floor – hall – ceiling – fiberboard	Negative	N/A	MFLn
4a	1 st floor – living room floor – tan ceramic tile	Negative	N/A	MCTMt
4b	1 st floor – living room floor – grout	Negative	N/A	MCTMt

Trailer 38

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – kitchen – under floor tile – tan linoleum	Negative	N/A	MFLt
2	1 st floor – living room – under floor tile and plywood – tan linoleum	Negative	N/A	MFLt
3	1 st floor – hall – under floor tile – tan linoleum	Negative	N/A	MFLt
4	1 st floor – bedroom – ceiling – fiberboard	Negative	N/A	MFLn
5	1 st floor – bathroom – ceiling – fiberboard	Negative	N/A	MFLn
6	1 st floor – kitchen – ceiling – fiberboard	Negative	N/A	MFLn

Trailer 39

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – kitchen – 1' x 1' ceiling tile	Negative	N/A	MSCT11
2	1 st floor – living room – 1' x 1' ceiling tile	Negative	N/A	MSCT11
3	1 st floor – hall – 1' x 1' ceiling tile	Negative	N/A	MSCT11
4a	1 st floor – kitchen – on countertop – white ceramic tile	Negative	N/A	MCTMw
4b	1 st floor – kitchen – on countertop – grout	Negative	N/A	MCTMw

Trailer 41

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – bathroom – under plywood – tan linoleum	Negative	N/A	MFLt
1	1 st floor – bathroom – under linoleum – mastic	Negative	N/A	MFLt
2	1 st floor – living room – ceiling – fiberboard	Negative	N/A	MFB
3	1 st floor – bedroom – ceiling – fiberboard	Negative	N/A	MFB
4	1 st floor – bathroom – ceiling – fiberboard	Negative	N/A	MFB
5a	1 st floor – kitchen – east wall – joint compound	Negative	N/A	MDW
5b	1 st floor – kitchen – east wall – drywall	Negative	N/A	MDW
6a	1 st floor – hall – west wall – joint compound	Negative	N/A	MDW
6b	1 st floor – hall – west wall – drywall	Negative	N/A	MDW
7a	1 st floor – living room – north wall – joint compound	Negative	N/A	MDW
7b	1 st floor – living room – north wall – drywall	Negative	N/A	MDW

Trailer 42

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1	1 st floor – living room – ceiling – drywall	Negative	N/A	MDW
2	1 st floor – hall – ceiling – drywall	Negative	N/A	MDW
3	1 st floor – bathroom – ceiling – drywall	Negative	N/A	MDW

Brown Trailer

Sample #	Location and Description	Results	Approximate Quantity	Homogeneous Code
1a	1 st floor – kitchen – ceiling – joint compound	Negative	N/A	MDW
1b	1 st floor – kitchen – ceiling – drywall	Negative	N/A	MDW
2a	1 st floor – bedroom – ceiling – joint compound	Negative	N/A	MDW
2b	1 st floor – bedroom – ceiling – drywall	Negative	N/A	MDW
3a	1 st floor – hall – ceiling – joint compound	Negative	N/A	MDW
3b	1 st floor – hall – ceiling – drywall	Negative	N/A	MDW
4	1 st floor – kitchen – yellow linoleum <i>Quantity includes bathroom and bedroom</i>	Positive 30% Chrysotile	320 Sq. Ft.	MFLI

Notes: N/A = Not Applicable
Sq. Ft. = Square Feet

Assumed Category I Non-Friable Asbestos Containing Material:

Floor Level	Location	Description	Approximate Quantity
Roof	Trailers	Built up Roofing & Flashing	17,500 Sq. Ft.
1 st	All Rooms	Floor Tile & Mastic	13,000 Sq. Ft.
1 st	All Rooms	Floor & Wall Mastic	2,000 Sq. Ft.

Homogeneous Material Codes

STX	Texture
MFB	Fiberboard
MFLw	White Linoleum
MFLI	Yellow Linoleum
MFLg	Green Linoleum
MFLc	Cream Linoleum
MFLy	Gray Linoleum
MFLt	Tan Linoleum
MFLn	Brown Linoleum
MCTMy	Gray Ceramic Tile
MCTMt	Tan Ceramic Tile
MCTMw	White Ceramic Tile
MCTMn	Brown Ceramic Tile
MSCT11	1' x 1' Ceiling Tile
MDW	Drywall/Joint Compound

Note#1: Category I – Non-Friable Asbestos Containing Materials may become friable during mechanical demolition activities or maybe considered friable prior to demolition activities due to its current condition.

Note#2: If additional materials are discovered during demolition that are not listed above they are to be assumed to be asbestos containing.

Note#3: A copy of this report should be transmitted to the demolition contractor.

V. EXCLUSIONS

Trailer 10 floors covered with refuse and furniture and not accessible. Trailer 16 occupied – not inspected. Trailer 24 – All rooms except living room and kitchen filled with refuse and debris and not accessible. Trailer 26 – All room except entry filled with furniture and refuse and not accessible. Trailer 40 – Infested with rats and not inspected. Roofs visible only from ground. No visible or accessible areas were excluded from the scope of work.

HMG is not and shall not represent the building owner as its agent or representative for the purpose of the US EPA/NESHAP and/or the WDNR/NR447 regulations, as owner/operator.

This report represents the condition of the building and its visible/accessible suspect asbestos containing materials at the date and the times of the onsite inspection. Hidden materials or those materials that could be present at the point of inspection, over and above those stated in the inspection report, are the responsibility of the building owner and the demolition contractor.

VI. LIMITATIONS

The care and skill given to our procedures insures the most reliable test results possible. HMG utilizes Quantem Laboratories for our Polarized Light Microscopy, unless otherwise specified by the client. The findings and conclusions of HMG represent our professional opinions extrapolated from limited data. Significant limited data is gathered during the course of the preliminary asbestos specific site assessment. No other warranty is expressed or implied. Prior to any abatement or renovation activities, it is recommended that HMG be provided the opportunity to review such plans in order that the inspection and assessments contained herein are properly interpreted and implemented.

This report and the information contained herein are prepared for the sole and exclusive use and possession of the City of Milwaukee Department of Neighborhood Services. No other person or entity may rely on this report or any information contained herein. Any dissemination of the Report or any information contained herein is strictly prohibited without prior written authorization from Harenda Management Group.

VII. PRE-DEMOLITION ENVIRONMENTAL CHECKLIST

This guide lists materials and products commonly found in buildings with examples. It is not intended as a substitute for reading the rules and statutes and making your own independent determination of their applicability to your demolition project. These examples presented here do not represent an exhaustive listing of types of materials that may be required to be removed from the building prior to demolition.

ASBESTOS

Persons conducting inspections for asbestos must hold a valid asbestos inspector certification card issued by the State of Wisconsin, Dept. of Health Services. **Please follow the Asbestos Inspection and Sampling Protocol for Buildings to be Demolished or Renovated.**

CFCs and HALONS

Equipment that may contain CFCs and Halons:

<u>11</u>	Air Conditioners (roof top, room , and central) – Trailer 6, 7, 21, 23, 24, 25, 36, 39, 40, 42
<u>N/A</u>	Dehumidifiers
<u>N/A</u>	Heat Pumps
<u>5</u>	Refrigerators , Freezers, Chillers – Trailer 8, 9, 24, 31, 41
<u>N/A</u>	Vending Machines, Food Display Cases
<u>N/A</u>	Walk-in Coolers
<u>N/A</u>	Water Fountains (bubblers)
<u>N/A</u>	Fire Extinguishers (both portable and installed HALON suppression systems)
<u>N/A</u>	Water Coolers

LEAD

Lead or Lead Based Paint (LBP) is common in many older buildings. When recycling construction and demolition debris, be aware that wood containing lead paint may not be chipped and spread for landscaping. State law also prohibits the sale or transfer of any fixture or other object containing LBP that might be placed upon any surface of a dwelling, which is ordinarily accessible to children.

MERCURY

Products that may contain mercury:

LIGHTING

<u>32</u>	Fluorescent Lights – Trailer 1, 19
<u>N/A</u>	High Intensity Discharge -Metal Halide -High Pressure Sodium -Mercury Vapor
<u>N/A</u>	Neon
<u>N/A</u>	Switches for lighting using mercury relays -Look for any control associated with exterior or automated lighting systems such as "Silent" wall switches.

HVAC

Check thermostats and any control associated with air handling units for switches containing mercury.

HEATING, VENTILATING AND AIR CONDITIONING SYSTEMS

<u>1</u>	Old Thermostats – Trailer 32
<u>N/A</u>	Aquastats
<u>N/A</u>	Firestats
<u>N/A</u>	Manometers
<u>N/A</u>	Thermometers

BOILERS, FURNACES, HEATERS AND TANKS – 1 Furnace Each in Trailer 2, 3, 4, 6, 9, 14, 23, 25, 36, 38, 41

<u>N/A</u>	Mercury Flame Sensors by pilot lights
<u>N/A</u>	Manometers, Thermometers, Gauges
<u>N/A</u>	Pressure-trol
<u>N/A</u>	Float or Level Controls
<u>N/A</u>	Space Heaters

ELECTRICAL SYSTEMS – 15 Electric Meters Trailer 1, 4, 9 17, 23, 25, 26, 32, 37, 39, 41, Brown Trailer. 1 Breaker Box in Trailer 1.

<u> N/A </u>	Load Meters and Supply Relays
<u> N/A </u>	Phase Splitters
<u> N/A </u>	Microwave Relays
<u> N/A </u>	Mercury Displacement Relays

PCBs

For electrical devices manufactured prior to 1987, it is safe to assume that they contain PCBs and should be managed accordingly. Most equipment manufactured after this time will say "PCB Free". The following is a list of areas in a building were PCBs may be found:

<u> N/A </u>	Transformers
<u> N/A </u>	Capacitors (appliances, electronic equipment)
<u> N/A </u>	Heat Transfer Equipment
<u> 1 </u>	Light Ballasts – Trailer 1
<u> N/A </u>	Specialty Paints (such as for swimming pools or other industrial applications)
<u> N/A </u>	Sumps or Oil Traps (in maintenance and industrial facilities)

OTHER ENVIRONMENTAL ISSUES

<u> N/A </u>	Hazardous Waste
<u> N/A </u>	Oil Tanks
<u> N/A </u>	Well Abandonment
<u> 1 </u>	Junk Auto Tires – Trailer 10 Shed, Trailer 42
<u> N/A </u>	Junk Vehicles

* 1 Propane Tank Trailer 4

* 2 Gallons Paint Trailer 8, 1 Gallon Paint Trailer 9

VIII. LABORATORY RESULTS



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238896

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/05/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T1

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	Paint Quartz
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
002	2	Layered	White Texture	Asbestos Not Present	NA	Paint Quartz
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
003	3	Layered	White Texture	Asbestos Not Present	NA	Paint Quartz
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
004	4	Layered	White Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl Foam

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238896

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/05/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T1

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
004a		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue

A handwritten signature in black ink, appearing to read "Shweta", is written over a horizontal line.

Shweta Harankhedkar, Analyst

8/5/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T1
P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>[Signature]</i>	7/31/14 1800	FedEx	<i>Judy Rowan</i>	8/1/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM	PLM	TEM		TEM	TURNAROUND TIME
			PLM	TEM		
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush		
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative (weight%) - Chatfield	<input type="checkbox"/> Same Day		
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour		
<input type="checkbox"/> Gravimetric Preparation	PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative (fibers/sq.cm)- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day		
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day		

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				

For Lab Use Only	
Lab No.	238896
	Accept <input checked="" type="checkbox"/> Reject <input type="checkbox"/>

Report Results (Check one box)	
<input checked="" type="checkbox"/> QuanTEM Website	
<input type="checkbox"/> Other_email	



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238900

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T2

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Ceramic Tile	Asbestos Not Present	NA	Clay
001a		Layered	White Grout	Asbestos Not Present	NA	Quartz CaCO3
002	2	Layered	White Ceramic Tile	Asbestos Not Present	NA	Clay
002a		Layered	White Grout	Asbestos Not Present	NA	Quartz CaCO3
003	3	Homogeneous	Red Ceramic Tile	Asbestos Not Present	NA	Clay
004	4	Layered	Brown Insulation	Asbestos Not Present	Cellulose	99 Binder
004a		Layered	Yellow Insulation	Asbestos Not Present	Glass Fiber	99 Binder

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238900

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T2

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
005	5	Homogeneous	Brown Insulation	Asbestos Not Present	Cellulose 99	Binder
006	6	Homogeneous	Brown Insulation	Asbestos Not Present	Cellulose 99	Binder
007	7	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
007a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
008	8	Homogeneous	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl Binder
009	9	Homogeneous	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl Binder
010	10	Homogeneous	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl Binder

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238900

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda


1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T2

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
 Shweta Harankhedkar, Analyst				8/6/2014 Date of Report		

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
Lab No. <u>238900</u>
Accept <input checked="" type="checkbox"/> Reject <input type="checkbox"/>

Report Results (<input checked="" type="checkbox"/> one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email _____

Contact Information		Project Information	
Company: Harendra Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harendra.com	Project ID: 14-200-042.3774 T2	
SAMPLED BY: _____	Name: _____	P.O. Number: _____	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u>Dean Jacobsen</u>	7/31/14 1800	FedEx	<u>Judy Rowan</u>	8/1/14 945

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		PLM		TEM		TEM		TURNAROUND TIME
	Bulk Analysis (EPA 600/R-93/116)	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHERA	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Dust- Presence / Absence	Dust- Quantitative [fibers/sq.cm]- ASTM D5755		
<input checked="" type="checkbox"/> 400 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rush <input type="checkbox"/>	
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Same Day <input type="checkbox"/>	
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24 - Hour <input type="checkbox"/>	
<input type="checkbox"/> Particle ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3 - Day <input checked="" type="checkbox"/>	
								5 - Day <input type="checkbox"/>	

No.	Sample ID (10 Characters Max)	To Be Analyzed <input checked="" type="checkbox"/>	Color	Description	Volume / Area (as applicable)	Comments / Notes
1		<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input checked="" type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 239014

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T3

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
002	2	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
003	3	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
004	4	Homogeneous	Green/Tan Linoleum	Asbestos Not Present	Cellulose 75	Vinyl



Sandy Baker, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
Lab No. <u>239014</u>
<input checked="" type="radio"/> Accept <input type="radio"/> Reject

Report Results (<input checked="" type="checkbox"/> one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email _____

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T3	
SAMPLED BY: _____	Name: _____	PQ Number: _____	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u>Dean Jacobsen</u>	<u>8/4/14 1800</u>	<u>FedEx</u>	<u>Judy Rowen</u>	<u>8/5/14 9:45</u>

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

PLM		PLM		TEM		TEM		TURNAROUND TIME	
Bulk Analysis (EPA 600/R-93/116)		Vermiculite Attic Insulation (EPA 600/R-04/004)		Air- AHERA		Bulk- Presence / Absence EPA600/R-93/116		Rush	
<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
<input type="checkbox"/>	400 Point Count	<input type="checkbox"/>	Other	<input type="checkbox"/>	Air- NIOSH 7402	<input type="checkbox"/>	Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/>	Same Day
<input type="checkbox"/>	1000 Point Count	<input type="checkbox"/>		<input type="checkbox"/>	Air- ISO 10312	<input type="checkbox"/>	Dust- Presence / Absence	<input type="checkbox"/>	24 - Hour
<input type="checkbox"/>	Gravimetric Preparation	<input type="checkbox"/>	PCM	<input type="checkbox"/>	Drinking Water- EPA 100.2	<input type="checkbox"/>	Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/>	3 - Day
<input type="checkbox"/>	Particle ID	<input type="checkbox"/>	NIOSH 7400	<input type="checkbox"/>	Waste Water- EPA 600/4-83-043	<input type="checkbox"/>	Other	<input type="checkbox"/>	5 - Day

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238895

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T4

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	CaCO ₃ Paint
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
002	2	Layered	White Texture	Asbestos Not Present	NA	CaCO ₃ Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
003	3	Layered	White Texture	Asbestos Not Present	NA	CaCO ₃ Paint
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
004	4	Homogeneous	Beige/Green Sheet Vinyl	Asbestos Not Present	NA	Vinyl Foam

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238895

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T4

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
005	5	Homogeneous	Cream Sheet Vinyl	Asbestos Not Present	NA	Vinyl Foam
006	6	Homogeneous	Cream Sheet Vinyl	Asbestos Not Present	NA	Vinyl Foam
007	7	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25 Glass Fiber 5	Vinyl 25 Foam 5


Sandy Baker, Analyst

8/6/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	Report Results (one box)
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	<input checked="" type="checkbox"/> QuanTEM Website
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T4	<input type="checkbox"/> Other email
SAMPLED BY: Name:	Date:	P.O. Number:	

For Lab Use Only	
Lab No. 238895	Accept <input checked="" type="checkbox"/> Reject <input type="checkbox"/>

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>[Signature]</i>	7/31/14 1800	FedEx	<i>Judy Rawan</i>	8/1/14 9:45

REQUESTED SERVICES (Please check the appropriate boxes)

	PLM		TEM		TEM		TURNAROUND TIME
	PLM	TEM	PLM	TEM	PLM	TEM	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush			
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day			
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour			
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day			
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day			

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input type="checkbox"/>				
7	7	<input checked="" type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238898

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T5

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	Brown Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
002	2	Homogeneous	Brown Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
003	3	Homogeneous	Brown Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
004	4	Homogeneous	Cream Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
005	5	Homogeneous	Cream Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
006	6	Homogeneous	Cream Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint


Shweta Harankhedkar, Analyst

8/6/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company:	Harenda Management Group	Project Name:	DNS
Contact:	Dean Jacobsen	Project Location:	Milwaukee, WI
Account #:	B929	Project ID:	14-200-042.3774 T5
SAMPLED BY:	Name:	PO. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>[Signature]</i>	7/31/14 1800	FedEx	Judy Rowan	8/1/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		PLM		TEM		TEM		TURNAROUND TIME
	Bulk Analysis (EPA 600/R-93/116)	400 Point Count	1000 Point Count	Gravimetric Preparation	Particle ID	Air- AHERA	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	
<input checked="" type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rush
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Same Day
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24 - Hour
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3 - Day
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5 - Day

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input checked="" type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238899

Account Number: B929

Date Received: 08/01/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T6

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	Yellow Linoleum	Asbestos Not Present	Cellulose 75	Vinyl
002	2	Homogeneous	Yellow Linoleum	Asbestos Not Present	Cellulose 75	Vinyl
003	3	Homogeneous	Yellow Linoleum	Asbestos Not Present	Cellulose 75	Vinyl
004	4	Homogeneous	Beige Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
005	5	Homogeneous	Beige Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
006	6	Homogeneous	Beige Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint


Sandy Baker, Analyst

8/6/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LABORATORIES
www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T6
P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	7/31/14 1800	FedEx	<i>Judy Rowan</i>	8/1/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

PLM		PLM		TEM		TEM		TURNAROUND TIME	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Rush	<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> Same Day	<input type="checkbox"/> 24 - Hour
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day	<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day	
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400								

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input checked="" type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239018

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T7

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
002	2	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
003	3	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
004	4	Homogeneous	Cream Linoleum	Asbestos Not Present	NA	Vinyl


Sandy Baker, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T7
P.O. Number:	

For Lab Use Only	
Lab No.	239018
Accept	Reject

Report Results (one box)	
<input checked="" type="checkbox"/> Quantem Website	
<input type="checkbox"/> Other email	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Judy Rowan</i>	8/5/14 9:45

REQUESTED SERVICES (Please check the appropriate boxes)

	PLM		TEM		TEM		TURNAROUND TIME
	Bulk Analysis (EPA 600/R-93/116)	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHERA	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Rush	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Particle ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1		<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input type="checkbox"/>				
4		<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239007

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T8

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
002	2	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
003	3	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
004	4	Layered	White Texture	Asbestos Not Present	NA	CaCO3
004a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 10	Gypsum
005	5	Homogeneous	Beige Sheet Vinyl	Asbestos Present Chrysotile 25	NA	Vinyl
006	6	Homogeneous	Beige Sheet Vinyl	Asbestos Present Chrysotile 25	NA	Vinyl

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239007

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116


Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T8

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
007	7	Layered	Beige Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
007a		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue
007b		Layered	Beige Sheet Vinyl	Asbestos Present Chrysotile 25	NA	Vinyl


Cristal Veech, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only	
Lab No. <u>239007</u>	Accept <input checked="" type="checkbox"/> Reject <input type="checkbox"/>

Report Results (<input checked="" type="checkbox"/> one box)	
<input checked="" type="checkbox"/> QuantEM Website	<input type="checkbox"/> Other email

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T8	
SAMPLED BY: Name:	Date:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>[Signature]</i>	8/4/14 1800	FedEx	Judy Ravan	8/5/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		TEM		TEM		TURNAROUND TIME	
	PLM	PLM	TEM	TEM	TEM	TEM	TURNAROUND TIME	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Rush			
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> Same Day			
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour			
<input type="checkbox"/> Gravimetric Preparation		<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day			
<input type="checkbox"/> Particle ID		<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day			

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input type="checkbox"/>				
7	7	<input checked="" type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 239015

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T9

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	CaCO ₃
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose	2 Gypsum
002	2	Layered	White Texture	Asbestos Not Present	NA	CaCO ₃ Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose	2 Gypsum
003	3	Homogeneous	White Sheetrock	Asbestos Not Present	Cellulose	5 Gypsum Paint
004	4	Homogeneous	White Texture	Asbestos Not Present	Cellulose	10 CaCO ₃ Paint
005	5	Homogeneous	White Texture	Asbestos Not Present	Cellulose	10 CaCO ₃ Paint

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239015

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T9

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
006	6	Homogeneous	White Texture	Asbestos Not Present	NA	CaCO3 Paint
007	7	Homogeneous	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
008	8	Layered	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
008a		Layered	Cream Mastic	Asbestos Not Present	NA	Glue
009	9	Homogeneous	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
010	10	Layered	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
010a		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239015

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda


1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T9

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
				8/7/2014		
			Cristal Veech, Analyst	Date of Report		

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Page 1 of 1

For Lab Use Only
Lab No. <u>239015</u>
<input checked="" type="radio"/> Accept <input type="radio"/> Reject

Report Results (<input checked="" type="checkbox"/> one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email _____

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T9	
SAMPLED BY: Name:	Date:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u>Dean Jacobsen</u>	<u>8/4/14 1800</u>	<u>FedEx</u>	<u>Judy Rowan</u>	<u>8/5/14 9:45</u>

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

PLM		PLM	TEM		TEM	TURNAROUND TIME	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Rush		
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> Same Day		
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour		
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day		
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day		

No.	Sample ID (10 Characters Max)	To Be Analyzed	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>			
2	2	<input type="checkbox"/>			
3	3	<input type="checkbox"/>			
4	4	<input type="checkbox"/>			
5	5	<input type="checkbox"/>			
6	6	<input type="checkbox"/>			
7	7	<input type="checkbox"/>			
8	8	<input type="checkbox"/>			
9	9	<input type="checkbox"/>			
10	10	<input checked="" type="checkbox"/>			



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239019

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T39

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
002	2	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
003	3	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
004	4	Layered	White Ceramic Tile	Asbestos Not Present	NA	Clay
004a		Layered	Brown Grout	Asbestos Not Present	NA	Quartz CaCO ₃



Gayle Ooten, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only	
Lab No. 2390A	<input checked="" type="radio"/> Accept <input type="radio"/> Reject

Report Results (<input checked="" type="checkbox"/> one box)	
<input checked="" type="checkbox"/> QuanTEM Website	<input type="checkbox"/> Other email

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T39	
SAMPLED BY: Name:	Date:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Judy Rowan</i>	8/5/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

PLM	PLM	TEM	TEM	TURNAROUND TIME
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day

No.	Sample ID (10 Characters Max)	To Be Analyzed <input checked="" type="checkbox"/>	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238979

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T14

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
001a		Layered	Brown Ceiling Tile	Asbestos Not Present	Cellulose 100	
002	2	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
002a		Layered	Brown Ceiling Tile	Asbestos Not Present	Cellulose 100	
003	3	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
003a		Layered	Brown Ceiling Tile	Asbestos Not Present	Cellulose 100	
004	4	Layered	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25 Vinyl	

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238979

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T14

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
004a		Layered	Cream Mastic	Asbestos Not Present	NA	Glue
005	5	Layered	Silver Paint	Asbestos Not Present	NA	Paint
005a		Layered	Tan Ceramic Tile	Asbestos Not Present	NA	Clay
005b		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue Binder
005c		Layered	Brown Grout	Asbestos Not Present	NA	CaCO3 Binder

Cristal Veech, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:
Phone:	(414) 383-4800
Cell Phone:	
E-mail:	djacobsen@harenda.com
Date:	

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T14
P.O. Number:	

For Lab Use Only	
Lab No.	238479
Accept	Reject

Report Results (☑ one box)	
<input checked="" type="checkbox"/> QuantEM Website	
<input type="checkbox"/> Other email	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Christa G</i>	8/5/14 9:45

REQUESTED SERVICES (Please ☑ the Appropriate Boxes)

PLM	PLM	TEM	TEM	TURNAROUND TIME
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air-AHERA	<input type="checkbox"/> Bulk-Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air-NIOSH 7402	<input type="checkbox"/> Bulk-Quantitative [weight%]-Chatfield	<input type="checkbox"/> Same Day
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air-ISO 10312	<input type="checkbox"/> Dust-Presence / Absence	<input type="checkbox"/> 24-Hour
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust-Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3-Day
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5-Day

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1		<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input checked="" type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239011

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T17

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	Gray Linoleum	Asbestos Not Present	Cellulose 60	Tar Cork
002	2	Homogeneous	Gray Linoleum	Asbestos Not Present	Cellulose 60	Tar Cork
003	3	Homogeneous	Gray Linoleum	Asbestos Not Present	Cellulose 60	Tar Cork
004	4	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25 Glass Fiber 5	Vinyl Foam
005	5	Layered	White Texture	Asbestos Not Present	NA	CaCO ₃ Paint
005a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum


Sandy Baker, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	Report Results (one box)
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	<input checked="" type="checkbox"/> QuanTEM Website
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T17	<input type="checkbox"/> Other email
SAMPLED BY: Name:	Date:	PO Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>[Signature]</i>	8/4/14 1:00	FedEx	<i>Judy Rowan</i>	8/5/14 9:45

REQUESTED SERVICES (Please check the Appropriate Boxes)			
PLM	PLM	TEM	TEM
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1		<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input checked="" type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239010

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T18

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
002	2	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
003	3	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
004	4	Homogeneous	Brown Fiberboard	Asbestos Not Present	Cellulose 100	

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239010

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T18

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
005	5	Homogeneous	Brown Fiberboard	Asbestos Not Present	Cellulose 100	
006	6	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 90	Paint
007	7	Homogeneous	Brown Linoleum	Asbestos Not Present	Cellulose 75	Vinyl
008	8	Homogeneous	Brown Linoleum	Asbestos Not Present	Cellulose 75	Vinyl
009	9	Homogeneous	Brown Linoleum	Asbestos Not Present	Cellulose 75	Vinyl


Sandy Baker, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Page 1 of 1

For Lab Use Only	
Lab No. <u>239010</u>	<input checked="" type="radio"/> Accept <input type="radio"/> Reject
Report Results (<input checked="" type="checkbox"/> one box)	
<input checked="" type="checkbox"/> QuanTEM Website	
<input type="checkbox"/> Other email	

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T18	
SAMPLED BY: Name:	Date:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
	8/4/14 1800	FedEx	Judy Rana	8/5/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		TEM		TEM		TURNAROUND TIME	
	Bulk Analysis (EPA 600/R-93/116)	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHRA	Air- NIOSH 7402	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Rush	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> 400 Point Count			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> 1000 Point Count			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Gravimetric Preparation			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Particle ID			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		PCM	Drinking Water- EPA 100.2		Dust- Presence / Absence		24 - Hour	
			Waste Water- EPA 600/4-83-043		Dust- Quantitative [fibers/sq.cm]- ASTM D5755		3 - Day	
					Other		5 - Day	

No.	Sample ID (10 Characters Max)	<input checked="" type="checkbox"/> To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input type="checkbox"/>				
7	7	<input type="checkbox"/>				
8	8	<input type="checkbox"/>				
9	9	<input checked="" type="checkbox"/>				
10		<input type="checkbox"/>				

SATURDAY SAMPLE DELIVERY - CALL TO SCHEDULE • Use this address for Saturday Delivery only: 4220 N. Santa Fe Ave., Oklahoma City, OK 73105-8517 • Mark Package "Hold for Saturday Pickup"



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238980

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T19

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	Brown Ceramic Tile	Asbestos Not Present	NA	Clay
001a		Layered	Black Grout	Asbestos Not Present	NA	Sand CaCO ₃
001b		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue Sand CaCO ₃
001c		Layered	Gray Grout	Asbestos Not Present	NA	Sand CaCO ₃
001d		Layered	Black/Yellow Mastic	Asbestos Not Present	NA	Tar Glue CaCO ₃
002	2	Layered	Brown Ceramic Tile	Asbestos Not Present	NA	Clay
002a		Layered	Black Grout	Asbestos Not Present	NA	Sand CaCO ₃

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238980

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T19

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
002b		Layered	Gray Grout	Asbestos Not Present	NA	Sand CaCO ₃
002c		Layered	Black/Yellow Mastic	Asbestos Not Present	NA	Tar Glue CaCO ₃
003	3	Layered	Brown Ceramic Tile	Asbestos Not Present	NA	Clay
003a		Layered	Black Grout	Asbestos Not Present	NA	Sand CaCO ₃
003b		Layered	Gray Grout	Asbestos Not Present	NA	Sand CaCO ₃
003c		Layered	Black/Yellow Mastic	Asbestos Not Present	NA	Tar Glue CaCO ₃

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238980

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda


1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T19

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
 Cristal Veech, Analyst				8/7/2014 Date of Report		

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
Lab No. <u>238980</u>
Accept <input type="checkbox"/> Reject <input type="checkbox"/>

Report Results (<input checked="" type="checkbox"/> one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email <u> </u>

Project Information
Project Name: <u>DNS</u>
Project Location: <u>Milwaukee, WI</u>
Project ID: <u>14-200-042.3774 T19</u>
P.O. Number: <u> </u>

Contact Information
Company: <u>Harendra Management Group</u>
Contact: <u>Dean Jacobsen</u>
Account #: <u>B929</u>
SAMPLED BY: <u> </u> Name: <u> </u>
Phone: <u>(414) 383-4800</u>
Cell Phone: <u> </u>
E-mail: <u>djacobsen@harenda.com</u>
Date: <u> </u>

RELINQUISHED BY <u> </u>	DATE & TIME <u>8/4/14 1800</u>	VIA <u>FedEx</u>	RECEIVED BY <u> </u>	DATE & TIME <u>8/5/14 9:45</u>
---	--------------------------------	------------------	---	--------------------------------

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

PLM	PLM	TEM	TEM	TURNAROUND TIME
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day

No.	Sample ID (10 Characters Max)	To Be Analyzed <input checked="" type="checkbox"/>	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input checked="" type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239021

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 21

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
002	2	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
003	3	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum

Gayle Ooten, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	Report Results (one box)
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	<input checked="" type="checkbox"/> QuanTEM Website
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 21	<input type="checkbox"/> Other email
SAMPLED BY: Name:	Date:	P.O. Number:	

RELINQUISHED BY: <i>Dean Jacobsen</i>	DATE & TIME: 8/4/14 18:00	VIA: FedEx	RECEIVED BY: <i>Judy Rowan</i>	DATE & TIME: 8/5/14 9:45
---------------------------------------	---------------------------	------------	--------------------------------	--------------------------

REQUESTED SERVICES (Please check the appropriate boxes)					
PLM		PLM		TEM	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush	TURNAROUND TIME
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day	
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour	
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day	
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input checked="" type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuantEM Lab No. 239006

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNA

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T23

QuantEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	Yellow Mastic	Asbestos Not Present	NA	Glue
001a		Layered	Tan Sheet Vinyl	Asbestos Present Chrysotile 25	NA	Vinyl
002	2	Homogeneous	Black Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
003	3	Homogeneous	White Texture	Asbestos Not Present	NA	CaCO ₃ Perlite



Cristal Veech, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuantEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T23
P.O. Number:	

Report Results (one box)
<input checked="" type="checkbox"/> QuantEM Website
<input type="checkbox"/> Other email

For Lab Use Only
Lab No. 239006
Accept Reject

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/14/14 1800	FedEx	<i>Judy Rawn</i>	8/14/14 9:45

REQUESTED SERVICES (Please check the appropriate boxes)

PLM	PLM	PLM	TEM	TEM	TURNAROUND TIME
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush	
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day	
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour	
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> PCM	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day	
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1		<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input checked="" type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238994

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 12-200-042.3774 T24

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
002	2	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
003	3	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
004	4	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
005	5	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
006	6	Homogeneous	White Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl


Cristal Veech, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company:	Harenda Management Group	Project Name:	DNS
Contact:	Dean Jacobsen	Project Location:	Milwaukee, WI
Account #:	B929	Project ID:	14-200-042.3774 T24
SAMPLED BY:	Name:	PO Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>John G.</i>	8/5/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		PLM		TEM		TEM		TURNAROUND TIME														
	Bulk Analysis (EPA 600/R-93/116)	400 Point Count	1000 Point Count	Gravimetric Preparation	Particle ID	Vermiculite Attic Insulation (EPA 600/R-04/004)	Other	Air- AHERA	Air- NIOSH 7402	Air- ISO 10312	Drinking Water- EPA 100.2	Waste Water- EPA 600/4-83-043	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Dust- Presence / Absence	Dust- Quantitative [fibers/sq.cm]- ASTM D5755	Other	Rush	Same Day	24- Hour	3 - Day	5 - Day	
<input checked="" type="checkbox"/>						<input type="checkbox"/>		<input type="checkbox"/>					<input type="checkbox"/>						<input type="checkbox"/>			<input checked="" type="checkbox"/>	
<input type="checkbox"/>						<input type="checkbox"/>																	
<input type="checkbox"/>																							
<input type="checkbox"/>																							
<input type="checkbox"/>																							

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	i	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input checked="" type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238981

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T25

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Texture	Asbestos Not Present	NA	CaCO3 Perlite Paint
002	2	Homogeneous	White Texture	Asbestos Not Present	NA	CaCO3 Perlite Paint
003	3	Homogeneous	White Texture	Asbestos Not Present	NA	CaCO3 Perlite Paint
004	4	Layered	White Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
004a		Laycred	Yellow Mastic	Asbestos Not Present	NA	Glue
005	5	Layered	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
005a		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238981

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T25

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
006	6	Layered	Beige Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
006a		Layered	Yellow Mastic	Asbestos Not Present	NA	Glue
007	7	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
008	8	Layered	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
008a		Layered	Brown Mastic	Asbestos Not Present	NA	Glue
009	9	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
010	10	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238981

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T25

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
011	11	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
012	12	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
013	13	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl


Cristal Veech, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company:	Harenda Management Group	Project Name:	DNS
Contact:	Dean Jacobsen	Project Location:	Milwaukee, WI
Account #:	B929	Project ID:	14-200-042.3774 T25
SAMPLED BY:	Name:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Charles En</i>	8/5/14 9:45

REQUESTED SERVICES (Please check the Appropriate Boxes)					
PLM		PLM		TEM	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHRA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush	
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day	
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour	
<input type="checkbox"/> Gravimetric Preparation		<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day	
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1		<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input checked="" type="checkbox"/>				



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
Lab No. 238981
Accept Reject

Project Information					Project Name: DNS	Project Location: Milwaukee, WI
Company: Harenda Management Group						
No.	Sample ID (10 Characters Max)	<input checked="" type="checkbox"/> To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
11	11	<input checked="" type="checkbox"/>				
12	12	<input type="checkbox"/>				
13	13	<input type="checkbox"/>				
14		<input type="checkbox"/>				
15		<input type="checkbox"/>				
16		<input type="checkbox"/>				
17		<input type="checkbox"/>				
18		<input type="checkbox"/>				
19		<input type="checkbox"/>				
20		<input type="checkbox"/>				
21		<input type="checkbox"/>				
22		<input type="checkbox"/>				
23		<input type="checkbox"/>				
24		<input type="checkbox"/>				
25		<input type="checkbox"/>				
26		<input type="checkbox"/>				
27		<input type="checkbox"/>				
28		<input type="checkbox"/>				
29		<input type="checkbox"/>				
30		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 239001

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Cristal Veech

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T26

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	Gray Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
001a		Layered	Brown Mastic	Asbestos Not Present	NA	Glue

Cristal Veech, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
Lab No. <u>239001</u>
Accept <input type="checkbox"/> Reject <input type="checkbox"/>

Report Results (<input checked="" type="checkbox"/> one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email <u> </u>

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042-3774 T26	
SAMPLED BY: <u>Dean Jacobsen</u>	Name:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u>Dean Jacobsen</u>	8/4/14 (800)	FedEx	<u>Cathy Sy</u>	8/5/14 9:45

REQUESTED SERVICES (Please <input checked="" type="checkbox"/> the Appropriate Boxes)					
PLM		PLM	TEM		TEM
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush	
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day	
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour	
<input type="checkbox"/> Gravimetric Preparation		<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day	
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input type="checkbox"/> 5 - Day	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	{	<input checked="" type="checkbox"/>				
2		<input type="checkbox"/>				
3		<input type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 238998

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T30

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
002	2	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
003	3	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 10	Gypsum
004	4	Layered	Cream Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
004a		Layered	Brown Mastic	Asbestos Not Present	NA	Glue

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238998

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T30

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
005	5	Homogeneous	Tan Sheet Vinyl	Asbestos Not Present	Cellulose 25	Vinyl
006	6	Layered	Brown Floor Tile	Asbestos Not Present	NA	Vinyl CaCO3
006a		Layered	Light Yellow Mastic	Asbestos Not Present	NA	Glue
007	7	Layered	Tan Linoleum	Asbestos Not Present	Cellulose 40	Cork Tar
007a		Layered	Brown Mastic	Asbestos Not Present	NA	Glue


Shweta Harankhedkar, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harendra Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:
Phone:	(414) 383-4800
Cell Phone:	
E-mail:	djacobsen@harendra.com
Date:	

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T30
P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/14/14 1800	FedEx	<i>Chad G</i>	8/5/14 9:45

Report Results (Check one box)
<input checked="" type="checkbox"/> Quantem Website
<input type="checkbox"/> Other email

REQUESTED SERVICES (Please check the Appropriate Boxes)

	PLM		TEM		TEM		TURNAROUND TIME	
	Bulk Analysis (EPA 600/R-93/116)	400 Point Count	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHERA	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Rush	
<input checked="" type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input type="checkbox"/>				
7	7	<input checked="" type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

QuanTEM Lab No. 238996

Account Number: B929

Date Received: 08/05/2014

Received By: Carter Cox

Date Analyzed: 08/07/2014

Analyzed By: Shweta Harankhedkar

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T33

QuanTEM Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
002	2	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum
003	3	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 15	Gypsum


Shweta Harankhedkar, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

QuanTEM is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Page 1 of 1

For Lab Use Only
Lab No. <u>238916</u>
Accept <input type="checkbox"/> Reject <input type="checkbox"/>
Report Results <input checked="" type="checkbox"/> one box
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email <u> </u>

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T33	
SAMPLED BY: <u> </u>	Name: <u> </u>	P.O. Number: <u> </u>	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u> </u>	8/4/14 1800	FedEx	<u> </u>	8/5/14 9:45

REQUESTED SERVICES (Please <input checked="" type="checkbox"/> the Appropriate Boxes)					
PLM		PLM		TEM	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	TURNAROUND TIME	
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Rush	
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> Same Day	
<input type="checkbox"/> Gravimetric Preparation		<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input type="checkbox"/> 24 - Hour	
<input type="checkbox"/> Particle ID	<input type="checkbox"/> PCM	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other	<input checked="" type="checkbox"/> 3 - Day	
				<input type="checkbox"/> 5 - Day	

No.	Sample ID (10 Characters Max)	To Be Analyzed <input checked="" type="checkbox"/>	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input checked="" type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239012

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T34

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
002	2	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
003	3	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose 90	Paint
004	4	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Paint
004a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 30	Gypsum
005	5	Homogeneous	White Sheet Vinyl	Asbestos Not Present	Cellulose 25 Glass Fiber 5	Vinyl Foam


Sandy Baker, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only	
Lab No. <u>239012</u>	Accept <input checked="" type="checkbox"/> Reject <input type="checkbox"/>

Report Results (<input checked="" type="checkbox"/> one box)	
<input checked="" type="checkbox"/> QuanTEM Website	<input type="checkbox"/> Other email _____

Contact Information		Project Information	
Company: Harendra Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harendra.com	Project ID: 14-200-042.3774 T34	
SAMPLED BY: _____	Name: _____	P.O. Number: _____	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u>Dean Jacobsen</u>	<u>8/4/14 1800</u>	<u>FedEx</u>	<u>Judy Ravan</u>	<u>8/5/14 9:45</u>

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM	PLM		TEM		TEM		TURNAROUND TIME
		Bulk Analysis (EPA 600/R-93/116)	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHERA	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Dust- Presence / Absence	
<input checked="" type="checkbox"/>	400 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rush <input type="checkbox"/>
<input type="checkbox"/>	1000 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Same Day <input type="checkbox"/>
<input type="checkbox"/>	Gravimetric Preparation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24 - Hour <input type="checkbox"/>
<input type="checkbox"/>	Particle ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3 - Day <input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5 - Day <input type="checkbox"/>

No.	Sample ID (10 Characters Max)	To Be Analyzed <input checked="" type="checkbox"/>	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	(<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input checked="" type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239013

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T36

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	Dark Brown Sheet Vinyl	Asbestos Not Present	NA	Vinyl Foam
002	2	Homogeneous	Tan/Gray Sheet Vinyl	Asbestos Not Present	Cellulose Glass Fiber	25 5 Vinyl Foam
003	3	Homogeneous	Brown Fiberboard	Asbestos Not Present	Cellulose	100
004	4	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose	90 Paint
005	5	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose	90 Paint


Sandy Baker, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES
www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information		Project Information	
Company:	Harenda Management Group	Project Name:	DNS
Contact:	Dean Jacobsen	Project Location:	Milwaukee, WI
Account #:	B929	Project ID:	14-200-042.3774 T36
SAMPLED BY:	Name:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Judy Rowan</i>	8/5/14 9:45

REQUESTED SERVICES (Please check the Appropriate Boxes)

	PLM	PLM	TEM		TEM		TURNAROUND TIME
			PLM	TEM	TEM	TEM	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush	<input type="checkbox"/> Same Day		
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour		
<input type="checkbox"/> 1000 Point Count		<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input checked="" type="checkbox"/> 3 - Day	<input type="checkbox"/> 5 - Day		
<input type="checkbox"/> Gravimetric Preparation		<input type="checkbox"/> Drinking Water- EPA 100.2					
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043					

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input checked="" type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239020

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group
Jolene Harenda
1237 West Bruce St.
Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T37

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
002	2	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
003	3	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
004	4	Layered	Tan Ceramic Tile	Asbestos Not Present	NA	Clay
004a		Layered	White Grout	Asbestos Not Present	NA	Quartz CaCO3
004b		Layered	Beige Floor Tile	Asbestos Present Chrysotile 6	NA	Vinyl CaCO3

Gayle Ooten, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
Lab No. <u>239020</u>
<input checked="" type="radio"/> Accept <input type="radio"/> Reject

Report Results (<input checked="" type="checkbox"/> one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email _____

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T37	
SAMPLED BY: Name:	Date:	P.O. Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<u>Dean Jacobsen</u>	8/4/14 1800	FedEx	<u>Judy Rowan</u>	8/5/14 9:45

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		TEM		TEM		TURNAROUND TIME	
	Bulk Analysis (EPA 600/R-93/116)	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHERA	Air- NIOSH 7402	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Rush	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> 400 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Particle ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

No.	Sample ID (10 Characters Max)	<input checked="" type="checkbox"/> To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239017

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Sandy Baker

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T38

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	Tan Floor Tile	Asbestos Not Present	NA	Vinyl CaCO ₃
002	2	Homogeneous	Cream Sheet Vinyl	Asbestos Not Present	Cellulose Glass Fiber	25 5 Vinyl Foam
003	3	Homogeneous	Cream Sheet Vinyl	Asbestos Not Present	Cellulose Glass Fiber	25 5 Vinyl Foam
004	4	Homogeneous	Tan Ceiling Tile	Asbestos Not Present	Cellulose	100
005	5	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose	90 Paint
006	6	Homogeneous	White Ceiling Tile	Asbestos Not Present	Cellulose	90 Paint


Sandy Baker, Analyst

8/7/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:
Phone:	(414) 383-4800
Cell Phone:	
E-mail:	djacobsen@harenda.com
Date:	

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042.3774 T38
P.O. Number:	

For Lab Use Only	
Lab No.	239017
Accept	Reject

Report Results (one box)
<input checked="" type="checkbox"/> QuanTEM Website
<input type="checkbox"/> Other email

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Judy Ragan</i>	8/5/14 9:45

REQUESTED SERVICES (Please check the appropriate boxes)

	PLM		TEM		TEM		TURNAROUND TIME
	Bulk Analysis (EPA 600/R-93/116)	Vermiculite Attic Insulation (EPA 600/R-04/004)	Air- AHERA	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Rush	
<input checked="" type="checkbox"/> 400 Point Count			<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/>	<input type="checkbox"/>	Same Day	
<input type="checkbox"/> 1000 Point Count			<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/>	<input type="checkbox"/>	24 - Hour	
<input type="checkbox"/> Gravimetric Preparation			<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/>	<input type="checkbox"/>	3 - Day	
<input type="checkbox"/> Particle ID			<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/>	<input type="checkbox"/>	5 - Day	

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input checked="" type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239019

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T39

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
002	2	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
003	3	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
004	4	Layered	White Ceramic Tile	Asbestos Not Present	NA	Clay
004a		Layered	Brown Grout	Asbestos Not Present	NA	Quartz CaCO ₃

Gayle Ooten, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

www.QuanTEM.com

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only	
Lab No. <u>2390A</u>	<input checked="" type="radio"/> Accept <input type="radio"/> Reject

Report Results (<input checked="" type="checkbox"/> one box)	
<input checked="" type="checkbox"/> QuanTEM Website	<input type="checkbox"/> Other email

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T39	
SAMPLED BY: _____	Name: _____	P.O. Number: _____	

RELINQUISHED BY: <u>[Signature]</u>	DATE & TIME: <u>8/4/14 1800</u>	VIA: <u>FedEx</u>	RECEIVED BY: <u>Judy Rowan</u>	DATE & TIME: <u>8/5/14 9:45</u>
-------------------------------------	---------------------------------	-------------------	--------------------------------	---------------------------------

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

PLM		PLM		TEM		TEM		TURNAROUND TIME	
<input checked="" type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Rush		<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day	
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 24 - Hour		<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input type="checkbox"/> 3 - Day	
<input type="checkbox"/> Partide ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> 5 - Day					

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239053

Account Number: B929

Date Received: 08/06/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T41

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	Tan Linoleum	Asbestos Not Present	Cellulose 15 Synthetic 15	Vinyl
001a		Layered	Brown Mastic	Asbestos Not Present	NA	Glue
002	2	Homogeneous	White Fiberboard	Asbestos Not Present	Cellulose 80	Paint
003	3	Homogeneous	Gray Fiberboard	Asbestos Not Present	Cellulose 100	
004	4	Homogeneous	Brown Fiberboard	Asbestos Not Present	Cellulose 80	Paint
005	5	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO ₃
005a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239053

Account Number: B929

Date Received: 08/06/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T41

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
006	6	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3 Paint
006a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
007	7	Layered	White Joint Compound	Asbestos Not Present	NA	CaCO3
007a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum



Gayle Ooten, Analyst

8/6/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042:3774 T41
P.O. Number:	

Report Results (one box)
<input checked="" type="checkbox"/> Quantem Website
<input type="checkbox"/> Other email

For Lab Use Only
Lab No. 239053
<input checked="" type="checkbox"/> Accept <input type="checkbox"/> Reject

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/5/14 1800	FedEx	<i>Judy Rowen</i>	8/6/14 10:00

REQUESTED SERVICES (Please ☒ the Appropriate Boxes)

	PLM		PLM		TEM		TEM		TURNAROUND TIME														
	Bulk Analysis (EPA 600/R-93/116)	400 Point Count	1000 Point Count	Gravimetric Preparation	Particle ID	Vermiculite Attic Insulation (EPA 600/R-04/004)	Other	Air- AHERA	NIOSH 7402	Air- ISO 10312	Drinking Water- EPA 100.2	Waste Water- EPA 600/4-83-043	Bulk- Presence / Absence EPA600/R-93/116	Bulk- Quantitative [weight%]- Chatfield	Dust- Presence / Absence	Dust- Quantitative [fibers/sq.cm]- ASTM D5755	Other	Rush	Same Day	24 - Hour	3 - Day	5 - Day	
<input checked="" type="checkbox"/>						<input type="checkbox"/>		<input type="checkbox"/>					<input type="checkbox"/>						<input type="checkbox"/>				
<input type="checkbox"/>						<input type="checkbox"/>																	
<input type="checkbox"/>																							
<input type="checkbox"/>																							
<input type="checkbox"/>																							

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input type="checkbox"/>				
5	5	<input type="checkbox"/>				
6	6	<input type="checkbox"/>				
7	7	<input checked="" type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239056

Account Number: B929

Date Received: 08/06/2014

Received By: Judy Rowan

Date Analyzed: 08/06/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.


Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 T42

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Homogeneous	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
002	2	Homogeneous	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
003	3	Homogeneous	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum



Gayle Ooten, Analyst

8/6/2014
Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only	
Lab No. <u>238054</u>	Accept <input checked="" type="checkbox"/> Reject <input type="checkbox"/>

Report Results (<input checked="" type="checkbox"/> one box)	
<input checked="" type="checkbox"/> QuanTEM Website	<input type="checkbox"/> Other email _____

Contact Information		Project Information	
Company: Harenda Management Group	Phone: (414) 383-4800	Project Name: DNS	
Contact: Dean Jacobsen	Cell Phone:	Project Location: Milwaukee, WI	
Account #: B929	E-mail: djacobsen@harenda.com	Project ID: 14-200-042.3774 T42	
SAMPLED BY: _____	Name: _____	Date: _____	P.O. Number: _____

RELINQUISHED BY: _____	DATE & TIME: 8/5/14 1800	VIA: FedEx	RECEIVED BY: Judy Raven	DATE & TIME: 8/6/14 10:00
------------------------	--------------------------	------------	-------------------------	---------------------------

REQUESTED SERVICES (Please <input checked="" type="checkbox"/> the Appropriate Boxes)						
PLM	PLM	PLM	TEM		TEM	TURNAROUND TIME
			<input type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Air-AHERA		
<input checked="" type="checkbox"/> 400 Point Count	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Same Day
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 24 - Hour
<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 3 - Day
<input type="checkbox"/> Particle ID	<input type="checkbox"/> PCM	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 5 - Day

No.	Sample ID (10 Characters Max)	To Be Analyzed <input checked="" type="checkbox"/>	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input checked="" type="checkbox"/>				
4		<input type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239022

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 Brown

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
001	1	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Quartz Paint
001a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
002	2	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Quartz Paint
002a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
003	3	Layered	White Texture	Asbestos Not Present	NA	CaCO3 Quartz Paint
003a		Layered	White Sheetrock	Asbestos Not Present	Cellulose 20	Gypsum
004	4	Homogeneous	Tan Sheet Vinyl	Asbestos Present Chrysotile 30	Cellulose 5	Vinyl

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



2033 Heritage Park Drive / Oklahoma City, OK 73120 / (405) 755-7272 / Fax (405) 755-2058

Polarized Light Microscopy Asbestos Analysis Report

Quantem Lab No. 239022

Account Number: B929

Date Received: 08/05/2014

Received By: Judy Rowan

Date Analyzed: 08/07/2014

Analyzed By: Gayle Ooten

Methodology: EPA/600/R-93/116

Client: Harenda Management Group

Jolene Harenda

1237 West Bruce St.

Milwaukee, WI 53204

Project: DNS

Project Location: Milwaukee, WI

Project Number: 14-200-042.3774 Brown

Quantem Sample ID	Client Sample ID	Composition	Color / Description	Asbestos (%)	Non-Asbestos Fiber (%)	Non Fibrous
----------------------	---------------------	-------------	------------------------	--------------	---------------------------	-------------

A handwritten signature in black ink, appearing to read "Gayle Ooten", is written over a horizontal line. The signature is stylized and cursive.

Gayle Ooten, Analyst

8/7/2014

Date of Report

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Quantem is a NVLAP accredited PLM laboratory (Lab Code: 101959-0). This report relates only to the specific items tested. NVLAP accreditation applies only to analysis performed utilizing EPA/600/M4-82-020 and EPA/600/R-93/116 methods. This report may not be used to claim product endorsement by NVLAP or any agency of the US Government. This report may not be reproduced except in full, without the written approval of the laboratory.



LABORATORIES

www.QuanTEM.com

ASBESTOS CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
(800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

Contact Information	
Company:	Harenda Management Group
Contact:	Dean Jacobsen
Account #:	B929
SAMPLED BY:	Name:

Project Information	
Project Name:	DNS
Project Location:	Milwaukee, WI
Project ID:	14-200-042-3774 Brown
PO Number:	

RELINQUISHED BY	DATE & TIME	VIA	RECEIVED BY	DATE & TIME
<i>Dean Jacobsen</i>	8/4/14 1800	FedEx	<i>Judy Rowen</i>	8/5/14 9:45

Report Results (one box)
<input checked="" type="checkbox"/> Quantem Website
<input type="checkbox"/> Other email

For Lab Use Only
Lab No. <u>239022</u>
<input checked="" type="radio"/> Accept <input type="radio"/> Reject

REQUESTED SERVICES (Please check the appropriate boxes)

PLM		PLM		TEM		TEM		TURNAROUND TIME	
<input type="checkbox"/> Bulk Analysis (EPA 600/R-93/116)	<input type="checkbox"/> Vermiculite Attic Insulation (EPA 600/R-04/004)	<input type="checkbox"/> Air- AHERA	<input type="checkbox"/> Bulk- Presence / Absence EPA600/R-93/116	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Rush	<input type="checkbox"/> 400 Point Count	<input type="checkbox"/> Air- NIOSH 7402	<input type="checkbox"/> Bulk- Quantitative [weight%]- Chatfield	<input type="checkbox"/> Same Day
<input type="checkbox"/> 1000 Point Count	<input type="checkbox"/> Other	<input type="checkbox"/> Air- ISO 10312	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> Dust- Quantitative [fibers/sq.cm]- ASTM D5755	<input type="checkbox"/> 24 - Hour	<input type="checkbox"/> Gravimetric Preparation	<input type="checkbox"/> Drinking Water- EPA 100.2	<input type="checkbox"/> Dust- Presence / Absence	<input type="checkbox"/> 3 - Day
<input type="checkbox"/> Particle ID	<input type="checkbox"/> NIOSH 7400	<input type="checkbox"/> Waste Water- EPA 600/4-83-043	<input type="checkbox"/> Other		<input type="checkbox"/> 5 - Day				

No.	Sample ID (10 Characters Max)	To Be Analyzed	Color	Description	Volume / Area (as applicable)	Comments / Notes
1	1	<input checked="" type="checkbox"/>				
2	2	<input type="checkbox"/>				
3	3	<input type="checkbox"/>				
4	4	<input checked="" type="checkbox"/>				
5		<input type="checkbox"/>				
6		<input type="checkbox"/>				
7		<input type="checkbox"/>				
8		<input type="checkbox"/>				
9		<input type="checkbox"/>				
10		<input type="checkbox"/>				

IX. HMG CERTIFICATION

Company Certificate

This certifies that

HARENDA MANAGEMENT GROUP

PO BOX 511305
NEW BERLIN WI 53151-2105

is certified under ch. HFS 159, Wis. Adm. Code as a


Asbestos Company - Primary

Certificate Issue Date: 09/11/2013
Expiration Date: 08/31/2015, 12:01 a.m.
Certification #: CAP-480540

Wisconsin Department of Health Services
Division of Public Health
Bureau of Environmental and Occupational Health
Asbestos & Lead Section
PO Box 2659
Madison WI 53701-2659
Phone: (608) 261-6876



Shelley A Bruce
Shelley A Bruce,
Unit Supervisor





ASBESTOS INSPECTOR

Issued By

STATE OF WISCONSIN

Dept. of Health Services

Eric Duane Christon

10908 W Langlade St

Milwaukee WI 53225-1319

		275 lbs	6' 01"
All-12823	Exp: 03/19/2015	11/16/1969	Male

Training due by: 03/19/2015